

APPENDIX 4

DATA CATALOGUE AND BIBLIOGRAPHY

October 16, 2001
(grouped by agency)

California Department of Fish and Game (the list below includes data sources and references)

- Brown, L.R., P.B. Moyle, and R.M. Yoshiyama. 1994. Historical Decline and Current Status of Coho Salmon in California. *North American Journal of Fisheries Management*. 14(2):237-261.
- Brown, L.R. and P.B. Moyle. 1991. Status of coho salmon in California. Report to the National Marine Fisheries Service. Davis, CA. 89 pp.
- Boydston, L. B. 1973. Progress Report for Coastal Steelhead Study. California Department of Fish and Game. 22 p.
- Boydston, L. B. 1974a. Project Progress Report Coastal Steelhead Study. June 1, 1972 to June 30, 1973. California Department of Fish and Game Project No. AFS-16-2.32 p.
- Boydston, L. B. 1974b. Coastal Steelhead Study. June 1, 1973 to June 30, 1974. California Department of Fish and Game Project No. AFS-16-1.32 p.
- Boydston, L. B. 1976a. Coastal Steelhead Study. July 1, 1974 to June 30, 1975. California Department of Fish and Game Project No. AFS-16-3. 8 p.
- Boydston, L. B. 1976b. Coastal Steelhead Study. July 1, 1975 to June 30, 1976. California Department of Fish and Game Project No. AFS-16-4. 12 p.
- Brown, Charles. 1986. An Account of the Fishes Caught In the Lower Gualala River, California, 1984 Through 1986. California Department of Fish and Game. Bay-Delta Fisheries Project. October 1986. 13 pp., appendices, data sheets.
- Byrne, M. 1997. CA Salmonid Habitat Inventory: a dynamic segmentation application. Earth Sciences Resource Institute. In: Proceedings, NW Arc/Info Users Conference.
- CA Department of Fish and Game. 1998. California Salmonid Stream Habitat Restoration Manual. Third Edition. Inland Fisheries Division. California Department of Fish and Game. Sacramento, CA. 495 pp.
- California Department of Fish and Game. 1994. Petition to the Board of Forestry to List Coho Salmon (*Oncorhynchus kisutch*) as a Sensitive Species. Inland Fisheries Division, Sacramento, CA.
- California Department of Fish and Game (CDFG). 2000. Annual Performance Report, Federal Aid in Sport Fish Restoration Act, FY 1999-2000. Job No. 5 - Evaluation of Hatchery Coho Releases. Prepared by S. Harris. Yountville, CA. 4 pp.
- Coast Action Group. 1995. Letter to Mendocino County Planning and Building Services regarding the Gualala Municipal Advisory Council-Action Update, Potential Impacts, Mitigations and Environmental Studies. 2 pp.

- Coast Action Group. 1996. Letter to Mr. Ed Anton, State Water Resources Control Board, Division of Water Rights regarding Environmental Review-Permit # 14853 North Gualala Water Company. 1 pp.
- Cox, W. 1988. Stream Flow Measurements taken by Bill Cox on North Fork Gualala River 150 yards upstream of mouth. Six-tenths method used on July 8, September 2, 1988. Measurements taken upstream and downstream of North Gualala Water Company's diversion. September 30, California Department of Fish and Game, Region 3, Yountville, CA.
- Cox, W. 1979. Memorandum on Fuller Creek Survey of Fuller Creek near confluence of the North and South Forks to investigate complaints about; non-code septic systems close to the stream, and discharges directly to the stream, a poorly maintained wet crossing, a house over-hanging the creek, and a summer dam. August 1, 1979. California Department of Fish and Game, Region 3, Yountville, CA. 2 p.
- Cox, W. 1994. Letter to Jim Berry regarding distribution and habitat conditions of coho salmon with table showing current and historical distribution of coho within Gualala River and other streams in Sonoma and Mendocino County California Department of Fish and Game, Region 3, Yountville, CA. 2 p.
- Cox, W. 1995. Memorandum on Fuller Creek Electrofished at three stations on Fuller Creek one station on the South Fork Fuller Creek Single pass to determine relative abundance, visual observations of habitat condition, comparisons of population estimates in 1989. California Department of Fish and Game, Region 3, Yountville, CA. 2 p.
- Cox, W. 1989. Memorandum on Fuller Creek Electrofished at four stations on Fuller Creek, tributary to the Wheatfield Fork to the Gualala River Physical description of stream, stations and data from electrofishing. California Department of Fish and Game, Region 3, Yountville, CA. 3 p.
- Cox, W. 1997. Letter to Pat Higgins re: Gualala Literature Search and Assimilation Draft. 1/25/97. 2 p.
- Cox, B. and Quinn, W. 1964. South Fork Gualala River Stream Survey South Fork Gualala River surveyed by vehicle for 2.5 miles from the headwaters, and 10.75 miles on foot to Sproule Creek, a total of 13.25 miles. September 23, 24, 1964. California Department of Fish and Game, Region 3, Yountville, CA. 2 p.
- Fisher, C. K. 1957. The 1954-55 Steelhead Fishery On The Gualala River, Mendocino/Sonoma Counties. California Department of Fish and Game Inland Fisheries Report No. 57-1 5.13 p.
- Higgins, P.T., S. Dobush, and D. Fuller. 1992. Factors in Northern California Threatening Stocks with Extinction. Humboldt Chapter of American Fisheries Society. Arcata, CA. 25pp.
- Higgins, P.T. 1995. Final Report. Fisheries Elements of a Garcia Estuary Enhancement Feasibility Study. Performed under contract with Moffett and Nichol Engineers. Funded by the Mendocino Resources Conservation District. 29 pp.
- Higgins, P.T. 1997. Gualala River Watershed Literature Search and Assimilation. Funded by the Coastal Conservancy under contract to Redwood Coast Land Conservancy. Gualala, CA. 59 pp.
- Hunter, B. 1996. Response to CDU 1 I-96; Applicant North Gualala Water Company, Proposed Upgrade of Water Pumping, Storage and Conveyance System; Affecting the North Fork Gualala River Watershed, Mendocino County. Memo to Charles Hudson, Mendocino County Planning and Building Services. California Department of Fish and Game, Region 3, Yountville, CA. 4 pp.

- Jones, W.E. 2000. Draft. California Coastal Salmon and Steelhead current stream habitat distribution table. Produced for National Marine Fisheries Service, Southwest Region. 180 pp.
- Kabul, C. S., and E. R. German. 1960. Coastal Salmon and Steelhead Study: Some Aspects of Stocking Hatchery-Reared Steelhead and Silver Salmon. California Department of Fish and Game Project No. California F-010-R-06/SP. 15 p.
- Laufel, J.C., G.B. Pauley, and M.F. Shepard. 1986. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (Pacific Northwest) - coho salmon. USFWS Biol. Rep. 82(11.48). US Army Corps of Engineers, TR EL-82-4. 18pp.
- Mangelsdorf, A. and L. Clyde. 2000. Incomplete draft (chapters 1-4) of Assessment of aquatic conditions in the Mendocino Coast Hydrologic Unit. California Regional Water Resources Control Board. North Coast Region. Santa Rosa, CA. 120 pp.
- McEwan, D. and T.A. Jackson. 1996. Steelhead Restoration and Management Plan for California. California Department of Fish and Game, Inland Fisheries Division. Sacramento, CA. 244 pp.
- National Marine Fisheries Service (NMFS). 2001. Status Review Update for Coho Salmon (*Oncorhynchus kisutch*) from the Central California Coast and the California portion of the Southern Oregon/Northern California Coasts Evolutionarily Significant Units. NMFS, Southwest Fisheries Science Center. Santa Cruz, CA. 49 pp. without appendices.
- Nehlsen, W., J.E. Williams, J.A. Lichatowich. 1991. Pacific Salmon at the Crossroads: Stocks at Risk from California, Oregon, Idaho, and Washington. Fisheries 16(2):4-21.
- Pacific Watershed Associates. 1996a. Letter to Mr. Mark Pelz, Planning Division Department of the Army regarding observations along Kelly Road, Sonoma County, CA., and a recommended approach to alleviate existing and potential erosion risk. PWA, McKinleyville, CA.
- Parke, C.W. and R. Kim. 1970a. South Fork Fuller Creek Stream Survey. South Fork Fuller Creek from mouth to upper fish limit 3 miles upstream on foot (hand drawn map, description and dimensions of log jams). June 18, 1970. California Department of Fish and Game, Region 3, Yountville, CA. 2 p.
- Parke, C.W. and R. Klamt. 1970b. Fuller Creek Stream Survey. Fuller Creek from mouth to forks 2.8 miles upstream on foot (hand drawn map, description and dimensions of log jams). June 22, 1970. California Department of Fish and Game, Region 3, Yountville, CA. 2 p. Stream Surveys (Cont.)
- Parke, C.W. and R. Klamt. 1970c. Haupt Creek Stream Survey, personal observations. Boyd Creek surveyed on foot from mouth to upper fish limit 6 miles upstream. June 24, 1970. California Department of Fish and Game, Region 3, Yountville, CA. 2 pp.
- Parke, C.W. and R. Klamt. 1971a. North Fork Fuller Creek Stream Survey. North Fork Fuller Creek from mouth to upper fish limit two miles upstream on foot. Survey on June 19, 1971. California Department of Fish and Game, Region 3, Yountville, CA. 1 p.

- Parke, C.W. and R R Klamt. 1971 b. Boyd Creek Stream Survey, personal observations. Boyd Creek surveyed from mouth at Fuller Creek to upper fish limit 0.3 mile upstream. July 7, 1971. California Department of Fish and Game, Region 3, Yountville, CA. 2 p.
- Parker, C. 1964a. Tributary No. 10 To North Fork Fuller Creek Field Note. Indicates no fishery value, dry during summer months, when flow is present appears to have high iron content. August 24, 1964. California Department of Fish and Game, Region 3, Yountville, CA. 1 p.
- Parker, C. 1964b. Log Cabin Creek Field Note. Foot from the mouth to the headwaters, a total of 1.5 miles, surveyed Log Cabin Creek. Observer C.J. Parker on September 4, 1964. California Department of Fish and Game, Region 3, Yountville, CA. 1 p.
- Parker, C. 1964c. Little North Fork Gualala River Stream Survey. Little North Fork Gualala River surveyed by foot and automobile from the headwaters to the mouth, a total of 4.5 miles. September 10, 1964. California Department of Fish and Game, Region 3, Yountville, CA. 2 p., hand drawn map.
- Parker, C. and RL. Pool. 1964a. Haupt Creek Stream Survey Haupt Creek surveyed by foot from the headwaters to the mouth, a total of 3.75 miles (hand drawn maps, field notes). August 25, 1964. California Department of Fish and Game, Region 3, Yountville, CA. 2 p.
- Parker, C. and RL. Pool. 1964b. North Fork Gualala River Stream Survey, North Fork Gualala River surveyed by foot and automobile from the mouth to the headwaters, a total of 15 miles. September 17-18, 1964. California Department of Fish and Game, Region 3, Yountville, CA. 2 p.
- Parker, C. and RL. Pool. 1964c. McKenzie Creek Stream Survey. McKenzie Creek from mouth to headwaters on foot, total length 4.25 miles. September 23-24, 1964. California Department of Fish and Game, Region 3, Yountville, CA. 2p.
- Parker, C. and RL. Pool. 1964d. Marshall Creek Stream Survey. Marshall Creek surveyed on foot from headwaters to mouth, a total distance of 13 miles. September 28, 1964. California Department of Fish and Game, Region 3, Yountville, CA. 2 p.
- Pool, R. 1964. Field Note: Unnamed Tributary #19 To South Fork Gualala River. California Department of Fish and Game, Region 3, Yountville, CA
- Primbs, E.R. 1964a. Boyd Creek Stream Survey, personal observations and interviews with local residents. Boyd Creek surveyed from mouth at Fuller Creek to 36 ft. falls on main stream and auto dump on first fork, total distance 0.5 mile. August 18, 1964. California Department of Fish and Game, Region 3, Yountville, CA. 2p.
- Priibs, E.R 1964b. Porter Creek Field Note, personal observations. General description of location, and stream condition. August 29, 1964. California Department of Fish and Game, Region 3, Yountville, CA. 1 p.
- Primbs, E.R and B. Fox. 1964. Buckeye Creek Stream Survey, personal observations and interviews with local residents. Buckeye Creek surveyed from headwaters to mouth on foot and by vehicle, total distance 20.5 miles (2 hand drawn maps). August 18, 1964. California Department of Fish and Game, Region 3, Yountville, CA 2 p.
- Reeves, G.H., F.H. Everest, and J.R.Sedell. 1993. Diversity of Juvenile Anadromous Salmonid Assemblages in Coastal Oregon Basins with Different Levels of Timber Harvest. Transactions of the American Fisheries Society. 122(3): 309-317.

- Rowell, J., and B. Fox. 1964. Fuller Creek Stream Survey. Fuller Creek from mouth to forks 4.25 miles upstream on foot and by vehicle (hand drawn map, description and dimensions of log jams). August 18-19, 1964. California Department of Fish and Game, Region 3, Yountville, CA. 2 p.
- Rowell, J., C. Parker, and B. Fox. 1964a. South Fork Fuller Creek Stream Survey. South Fork Fuller Creek from mouth to headwaters 4.5 miles upstream on foot and by vehicle. August 18, 1964. California Department of Fish and Game, Region 3, Yountville, CA. 2 p.
- Rowell, J., C. Parker, and B. Fox. 1964b. North Fork Fuller Creek Stream Survey. North Fork Fuller Creek from mouth to headwaters on foot and by vehicle, total length 3 miles (handwritten field notes, hand drawn map). Survey on August 18-19, 1964. California Department of Fish and Game, Region 3, Yountville, CA. 2 p.
- Rowell, J., C. Parker, and B. Fox. 1964c. Tributary No. 11 To North Fork Of Fuller Creek Stream Survey. Tributary No. 11 to North Fork Fuller Creek from mouth to headwaters 3/4 mile upstream. August 19-20, 1964. California Department of Fish and Game, Region 3, Yountville, CA.
- Rowell, J., C. Parker, and B. Fox. 1964d. Unnamed Tributary to North Fork Fuller Creek Stream Survey Surveyed on foot from mouth to headwaters, total length 3/4 mile (handwritten field notes), hand drawn map. August 19-21, 1964. California Department of Fish and Game, Region 3, Yountville, CA. 2 p.
- Stillwater Sciences. Unpublished Preliminary Draft. A review of coho salmon life history to assess potentially limiting factors and the implications of historical removal of large woody debris in coastal Mendocino County. Prepared by Stillwater Sciences, Berkeley CA for Louisiana-Pacific Corporation, Wildlife and Fisheries Science Group, Forest Resources & Fiber Procurement Division. May 1997. 55 pp.
- Sommarstrom, Sari. 1992. Final Report, An Inventory of Water Use And Future Needs In The Coastal Basins Of Mendocino County. Prepared for Mendocino County Water Agency. August, 1992.
- Sotoyome-Santa Rosa Resource Conservation District. 1996. Final Report Fuller Creek Habitat Inventory. Contract #07. 4 p.
- Sotoyome-Santa Rosa Resource Conservation District. 1996. Preliminary Stream Inventory Report Summary North Fork Fuller Creek 11 p. plus data sheets.
- Sotoyome-Santa Rosa Resource Conservation District. 1996. Preliminary Stream Inventory Report Summary Sullivan Creek 9 p. plus data sheets.
- Sotoyome-Santa Rosa Resource Conservation District. 1996. Preliminary Stream Inventory Report Summary Fuller Creek 13 p. plus data sheets. Stream Surveys (Cont.)
- Sotoyome-Santa Rosa Resource Conservation District. 1996. Preliminary Stream Inventory Report Summary South Fork Fuller Creek 10 p. plus data sheets.
- Taylor, S.N. 1978. The status of salmon populations in California coastal rivers. California Department of Fish and Game. Salmon/Steelhead Program, Anadromous Fisheries Branch. 14 pp.
- U.S. Bureau of Reclamation (BOR). 1974. Fishery Improvement Study Concluding Report. Eureka Division, North Coast Project, California U.S. Bureau of Reclamation, Mid-Pacific Region, Sacramento, CA

Division of Mines and Geology (the list below includes data sources and references)

- Atwater, T., 1989, Plate tectonic history of the northeast Pacific and western North America: in Winterer, E.L. and others, editors, *The eastern Pacific Ocean and Hawaii*: Boulder, Colorado, Geological Society of America, *The geology of North America v. N*, p. 21-72.
- Bachman, S. B. and Crouch, J. K., 1987, Geology and Cenozoic history of the northern California margin: Point Arena to Eel River: in Ingersoll, R.V. and Ernest, W.G., editors, *Cenozoic basin development of coastal California*, Prentice-Hall, Inc., Englewood Cliffs, New Jersey, p. 125-145.
- Bauer, F. H., 1952, Marine terraces between Salmon Creek and Stewarts Point, Sonoma County, California: University of California, Berkeley, Master's thesis, 273 p.
- Blake, M.C., Howell, D.G., and Jayko, A.S., 1984, Tectonostratigraphic Terranes of the San Francisco Bay Region: in Blake, M.C., ed., *Franciscan Geology of Northern California: Pacific Section S.E.P.M.*, Vol 43, p. 5-22.
- Blake, M.C. Jr., Smith, J.T., Wentworth, C. M., and Wright, R H., 1971, Preliminary geologic map of western Sonoma County and northernmost Marin County, California, San Francisco Bay Region Planning Study, U.S. Geological Survey, Basic Data Contribution 12, scale 1:62,500.
- Bortugno, E.J. and Wagner, D.L., 1980, Reconnaissance mapping of parts of the Point Arena and Orinda Valley 15' Quadrangles, Mendocino County, California: California Division of Mines and Geology, unpublished data, Regional Mapping files, scale 1:62,500.
- Brocher, T.M., ten Brink, U.S., and Abramovitz, T., 2000, Synthesis of crustal seismic structure and implications for the concept of a slab gap beneath coastal California: in Ernst, W.G. and Coleman, R.G., editors, *Tectonic studies of Asia and the Pacific Rim: a tribute to Benjamin Page (1911-1997)*, p. 232-243.
- Brown, R. D. and Wolf, E. W., 1972, Map showing recently active breaks along the San Andreas Fault between Point Delgada and Bolinas Bay, California: U.S. Geological Survey, Miscellaneous Geologic Investigations Map 1-692, scale 1:24,000.
- California Division of Mines and Geology, 2000, Digital database of faults from the Fault Activity Map of California and Adjacent Areas, DMG CD 2000-06.
- Davenport, C.W., 1984, Geology and geomorphic features related to landsliding, Gualala 7.5' Quadrangle, Mendocino County, California, scale 1:24,000.
- Dwyer, M.J., Noguchi, N., and O'Rourke, J, 1976, Reconnaissance photointerpretation map of landslides in 24 selected 7.5-minute quadrangles: U.S. Geological Survey Open File Report 76-74, scale 1:24,000.
- Ellen, E.D., and Wentworth, C.M., 1995, Hillside Materials and Slopes of the San Francisco Bay Region, California: U.S. Geological Survey Professional Paper 1357, scale 1:125,000.
- Fox, K. F., 1983, Tectonic setting of Late Miocene, Pliocene, and Pleistocene rocks in parts of the Coast Ranges north of San Francisco, California: U.S. Geological Survey Professional Paper 1239, 33 p.

- Gaudemer, Y., Taponnier, P., and Turcotte, D., 1989, River offsets across active strike-slip faults: *Ann. Tectonicae*, v. 3, p 55-76.
- Graymer, R. and others, 2001, in press,
- Higgins, C.G., 1960, Ohlson Ranch Formation, Pliocene, northwestern Sonoma County, California: *University of California Publications in Geological Sciences*, v. 36, no. 3, p. 199-232.
- Huffman, M.E., 1972, Geology for planning on the Sonoma County coast between the Russian and Gualala Rivers: *California Division of Mines and Geology, Preliminary Report 16*, 38 p.
- Huffman, M.E. and Armstrong, C.F., 1980, Geology for planning in Sonoma County, California *Division of Mines and Geology Special Report 120*, 6 plates, scale 1:62,500, 31 p.
- Jachens, R.C. and Zoback, M.L., 2000, The San Andreas Fault in the San Francisco Bay region, California: structure and kinematics of a young plate boundary: in Ernst, W.G. and Coleman, R.G., editors, *Tectonic studies of Asia and the Pacific Rim: a tribute to Benjamin Page (1911-1997)*, p. 217-231.
- James, E.W., Kimbrough, D.L., and Mattinson, J.M., 1993, Evaluation of displacement of pre-Tertiary rocks on the northern San Andreas fault using U-Pb zircon dating, initial Sr, and common Pb isotopic ratios: in Powell, R.E., Weldon, R.J. III, and Matti, J.C., editors, *The San Andreas Fault System: displacement, palinspastic reconstruction, and geologic evolution*, Geological Society of America, *Memoir 178*, p. 257-271.
- Kleinfelder, Inc, 1999, 1998 Landslide investigations on Kelly Road AT&T fiber optic route, Sonoma County, California, pp. 14.
- Lawson, A. C. and others, 1908, The California earthquake of April 18, 1906-report to the State Earthquake Commission: *Carnegie Institute, Washington, Publication 87*, v. 1, various pages.
- Mendocino County Resources Conservation District, 1987, West Mendocino County Soil Survey
- McKittrick, M.A., 1995, Geology and geomorphic features related to landsliding and relative landslide susceptibility categories, North Fork Gualala River, Mendocino County, California, scale 1:24,000.
- McLaughlin, R.J. and Nilsen, T.H., 1982, Neogene non-marine sedimentation and tectonics in small pull-apart basins of the San Andreas fault system, Sonoma County, California: *Sedimentology*, v. 29, p. 865-876.
- Miller, D.J. and Benda, L.E., 2000, Effects of punctuated sediment supply on valley-floor landforms and sediment transport: *Geological Society of America Bulletin*, v. 112, p. 1814-1824.
- Monschke, J., 1998, Sediment delivery investigation for Kelly Road, Sonoma County, California, pp. 22.
- Montgomery, D.R., 2000, Coevolution of the Pacific salmon and Pacific Rim topography: *Geology*, v. 28, p. 1107-1110.
- Pacific Watersheds Associates, 1997, Summary Report 1997 NEAP Watershed Assessment on Louisiana-Pacific Corporation lands in the Fuller Creek watershed, a tributary to the Gualala River, pp. 13.

- Pacific Watersheds Associates, 1997, Summary Report 1996 NEAP Watershed Assessment on MendoSoma Unit III Subdivision, Fuller Creek watershed, a tributary to the Gualala River, pp. 16.
- Prentice, C. S., 1989, Earthquake geology of the northern San Andreas Fault near Point Arena, California: California Institute of Technology, Ph.D. dissertation, 252 p.
- Prentice, C.S. and 5 others, 1999, Northern San Andreas Fault near Shelter Cove, California: Geological Society of America Bulletin, v. 111, p. 512-523.
- Schumm, S.A., Dumont, J.F., and Holbrook, J.M., 2000, Active tectonics and alluvial rivers, Cambridge University Press, Cambridge, United Kingdom, 276 p.
- U.S. Department of Agriculture, 1972, Soil Survey, Sonoma County, California, 128 plates, various scales, 188 p.
- Wagner, D. L. and Bortugno, E.J., 1999, Geologic map of the Santa Rosa Quadrangle: Division of Mines and Geology, Regional Geologic map Series, Map 2A, scale 1:250,000.
- Wentworth, C.M., 1966, The Upper Cretaceous and Lower Tertiary rocks of the Gualala area, northern Coast Ranges, California: Stanford University, Ph.D. dissertation, 197 p.
- Williams, J.W. and Bedrossian, T.L., 1978, Geologic mapping for coastal zone planning in California: background and examples: Environmental Geology, v. 2, p. 151-163.
- Williams, J.W. and Bedrossian, T.L., 1977, Coastal zone geology near Gualala, California: California Geology, v. 30, p. 27-34.
- Williams, J.W. and Bedrossian, T.L., 1976, Geologic factors in coastal zone planning: Russian Gulch to Buckhorn Cove, Mendocino County, California, California: Division of Mines and Geology, Open File Report 76-4 SF, 31 p.
- Williams, J.W. and Bedrossian, T.L., 1976, Geologic factors in coastal zone planning: Schooner Gulch to Gualala River, Mendocino County, California: Division of Mines and Geology, Open File Report 76-3 SF, 36 p.

Water Quality (the listing below is for data sources only)

- EIP Associates. 1994. Gualala Aggregates, Inc. Final Environmental Impact Report (Comments and Responses Document). State Clearinghouse No. 92123014. Jan, 1995. Prepared for Permit and Resource Management Dept., Sonoma Co., CA, Chapter 3:Geomorphology/ Hydrology
- EIP Associates. 2001. Gualala River Estuary Assessment and Enhancement Plan. Under contract to the California Coastal Conservancy.
- Gualala Aggregates, 7/1/2001, Gualala Aggregates, Inc., Draft EIR-Gravel extraction...
- Gualala Redwoods, Inc.
 9/19/1999, Bertha THP
 1/28/1998, Boulders THP
 10/14/1997, Del Rancho THP
 4/19/1999, Dry Creek '99 THP

8/13/1999, Elk Prairie THP
10/23/1999, Flats South THP
4/8/1999, Groshong Ridge THP
11/17/1997, North Fork Flat THP
9/28/1998, Pepperwood '98 THP
7/9/1999, Ripple THP
11/24/1997, Rockeye THP
5/27/1999, Signal Ridge THP
2/28/1999, South Fork '98 THP
9/18/1998, Stanley '98 THP
11/20/1999, Sugaree THP
11/13/1999, West Side Flat
7/31/1998, Wheatfield '98 THP

Higgins, P.T. 1997. Gualala River Watershed Literature Search and Assimilation. Funded by the Coastal Conservancy under contract to Redwood Coast Land Conservancy. Gualala, CA. 59 pp.

Mendocino Redwood Company LLC
4/17/2000, Cabbage Patch THP
8/7/1998, Haupt Creek THP
2/17/1999, Miller Ridge THP

North Coast Regional Water Quality Control Board. 2001a. Gualala River Watershed Technical Support Document for the Total Maximum Daily Load for Sediment. NCRWQCB, Santa Rosa, CA: 132 pp

North Coast Regional Water Quality Control Board. 2001b. Assessment of Aquatic Conditions in the Mendocino Coast Hydrologic Unit. NCRWQCB, Santa Rosa, CA: 280 pp

Ernest Ohlson, 4/12/1999, Ohlson THP

Phil and June Campbell, 4/18/2000, Campbell THP

State Water Resources Control Board. 2000. SWRCB Order Denying decision disapproving water supply contingency plan and surface flow management for North Gualala Water District.